

Application No.: 10/603,916

3

Docket No.: 08212/0200293-US0

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A system for providing secure mobile connectivity that implements Mobile IP Home Agent functionality via distributed components, comprising:
 - a mobile node belonging to a home network located within a secure network; the mobile node having a network interface configured to communicate with other nodes; the mobile node having only one security association and one mobility binding for the Mobile IP Home Agent functionality;
 - ~~a router configured to forward packets between networks;~~
 - a Proxy Home Agent (PHA) connected to the home network and located within the secure network, that wherein the PHA is configured to provide a ~~portion of the Mobile IP Home Agent~~ proxying functionality;
 - a Home Agent (HA) located outside of the secure network, that wherein the HA is configured to provide ~~another portion of the Mobile IP Home Agent~~ a signaling and tunneling functionality; and
 - a VPN gateway ~~coupled to the router and~~ located outside the secure network and configured to work in conjunction with ~~the PHA and~~ the HA.
2. (Original) The system of Claim 1, wherein the VPN gateway and the HA are located within a single device within a DMZ.
3. (Original) The system of Claim 1, further comprising a firewall coupled to the secure network and the VPN gateway; wherein the HA is located within the firewall.
4. (Original) The system of Claim 1, wherein the HA is a separate device from the VPN gateway.

{S:\08212\0200293-US0\80022542.DOC ~~ATTORNEY PREPARED FOR FILING ONLY~~ }

Application No.: 10/603,916

4

Docket No.: 08212/0200293-US0

5. (Original) The system according to claim 1, further comprising:
a DMZ located outside the secure network, wherein the VPN gateway and the HA reside in the DMZ; a first firewall between the secure network and the DMZ; a second firewall between the DMZ and an external network configured to deny communications from the external network with a source address in the known range; and wherein the mobile node has a permanent address in a known range.
6. (Original) The system according to claim 1, further comprising:
a DMZ located outside the secure network, wherein the VPN gateway and the home agent reside in the DMZ; a first firewall between the secure network and the DMZ; wherein the mobile node has a permanent address in a known range and the first firewall is programmed to deny all communications from the DMZ with a source address in the known range; and wherein the VPN gateway has a direct connection to an internal interface of the first firewall such that the first firewall considers the VPN gateway transmitted data as internal to the secure network.
7. (Currently Amended) The system of Claim 1, further comprising a DMZ comprising a first router coupled to a second router that is coupled to a firewall, the VPN gateway coupled to the first router and the firewall; the HA coupled to the first router.
8. (Currently Amended) The system of Claim 7, wherein packets from the ~~MAN~~ mobile node destined toward nodes inside the secure network first go the HA and then to the VPN gateway that is configured to forward the packets through the firewall to the secure network.
9. (Original) The system of Claim 8, wherein packets from the second router to the firewall having a source address in a known range are dropped by the firewall.
10. (Currently Amended) The system according to claim 1, wherein ~~[[the]]~~ a router is directly connected to a firewall and the VPN gateway and the HA connect to a different interface of the router and the firewall.

{S:\08212\0200293-US0\80022542.DOC #100 THE UNITED STATES PATENT AND TRADEMARK OFFICE }
{S:\08212\0200293-US0\80022542.DOC #100 THE UNITED STATES PATENT AND TRADEMARK OFFICE }

Application No.: 10/603,916

6

Docket No.: 08212/0200293-US0

16. (Original) The method of claim 15, wherein the VPN secure tunnel follows the IP security protocol.

17. (Original) The method of claim 15, wherein the tunneling of the VPN packaged data to the external mobile node occurs according to the IP mobility protocol.

18. (Original) The method of Claim 15, further comprising: packaging the collected data in an IP-in-IP tunnel and sending it to a VPN device for VPN encryption and tunneling the VPN packaged data to the current address of the Mobile node.

19. (Currently Amended) A system for secure mobile connectivity that implements Mobile IP Home Agent functionality via distributed components; comprising:

- means for establishing a Proxy Home Agent (PHA) located within [[the]] a secure network to monitor data directed to [[the]] a mobile node;
- means for establishing a Home Agent configured to create a security association with the mobile node;
- means for collecting data directed to the mobile node;
- means for packaging the collected data in a VPN secure tunnel to an internal address of the mobile node to create VPN packaged data;
- means for tunneling the VPN packaged data to a current address of the mobile node;
- means for the Home Agent to communicate to the PHA that the mobile node has moved outside its home network; and
- means for the Home Agent to communicate to the PHA that the mobile node has come back to its home network; and

means for enabling the PHA to create and remove a proxy ARP entry for a permanent address associated with the mobile node.

{S:\08212\0200293-US0\80022542.DOC [REDACTED] }

Application No.: 10/603,916

7

Docket No.: 08212/0200293-US0

20. (New) A computer software product comprising instructions that cause an electronic device to perform the actions of Claim 15.

{S:\08212\0200293-US0\80022542.DOC [REDACTED]}